

Xg optical module Lr



Overview

The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF) with an LC connector. Applicable to data center and campus networks, enabling cost-effective, efficient, and high-speed interconnection. As an industry-leading ICT infrastructure and industry solution provider, Ruijie offers customers a wide variety of high-density and low-power 10G optical modules. Quality Testing Program Optical Transceivers Testing. Learn more Quality Certifications. To get the detailed certification, please go to the Compliance Center. This product provides the lifetime warranty. SFP-XG-LR-SM1310-C - Transceiver Module Networking, General Purpose 10Gbps 1310nm 3.3V LC Duplex Pluggable, SFP+ from ATGBICS. Buying this product you will collect CHF15.



Article Content

SFP-XG-LR-SM1310-C ATGBICS | Fiber Optic Transceiver Modules

SFP-XG-LR-SM1310-C - Transceiver Module Networking, General Purpose 10Gbps 1310nm 3.3V LC Duplex Pluggable, SFP+ from ATGBICS. View datasheets, pricing and availability from DigiKey now!

RG 10GBASE Series

XG-SFP-LR10-SM1270-BIDI-I Module The XG-SFP-LR10-SM1270-BIDI-I is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over an SMF with a BIDI

Reyee XG-SFP-LR-SM1310

The Reyee XG-SFP-LR-SM1310 is an optical transceiver module in SFP+ format designed for 10 Gigabit connections over single-mode fiber (SMF). With a guaranteed range of 10 km and a duplex LC

Accessories XG-SFP-LR10-SM1270-BIDI-I 10G BiDi SFP+ 1270nm

The XG-SFP-LR10-SM1270-BIDI-I is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over an SMF with a BIDI LC connector.

Ruijie Enterprise XG-SFP-LR-SM1310 Specifications

Ruijie XG-SFP-LR-SM1310 10-Gigabit 10GBASE-LR Singlemode Fibre SFP+ Module, LC Connector (up to 10km), Specifications

XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10-km DOM

The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF) with an LC connector.

XG-SFP-LR-SM1310 Compatible | €12 | EDGE Optical

Ruijie-compatible XG-SFP-LR-SM1310 10GBASE-LR SFP+. Full spec: 1310nm, 10km SMF, 6dB budget, DOM, IEEE 802.3ae. EU stock + lifetime warranty.

Ruijie XG-SFP-LR-SM1310 Datasheet Explained Guide

Explore the Ruijie XG-SFP-LR-SM1310 datasheet, including specs, performance, compatibility, and deployment insights for 10G SFP+ LR modules.

Ruijie XG-SFP-LR-SM1310 SFP Module 10G 10km | Modn

Ruijie's XG-SFP-LR-SM1310 is an optimal choice for businesses seeking a cost-effective and high-speed optical module solution. Whether for interconnecting switches, routers, servers, or network

XG-SFP-LR-SM1310

As an industry-leading ICT infrastructure and industry solution provider, Ruijie offers customers a wide variety of high-density and low-power 10G optical modules. They are applicable to data center and

Ruijie XG-SFP-LR-SM1310 Compatible 10G SFP+ LR

Ruijie XG-SFP-LR-SM1310 Compatible 10G SFP+ LR Transceiver Module (1310nm SMF 10km LC DDM) Ruijie XG-SFP-LR-SM1310 Compatible SFP+ Module is

RG 10GBASE Series Optical Modules Datasheet

XG-SFP-LR-SM1310 Module The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF)

RUIJIE ENT SFP TRANSCEIVER 10G BASE-LR, SM (1310nm, 10km,

The XG-SFP-LR-SM1310 is an optical module. The 10G SFP+ transceiver is an input/output device that supports hot swapping. When connected to a 10G SFP+ Ethernet port or slot through the optical

RG 10GBASE Series Optical Modules Datasheet

Click in to download RG 10GBASE Series Optical Modules Datasheet or get more details of this document. Ruijie Networks provides this basic information for our customers, distributors, after

Accessories XG-SFP-LR10-SM1330-BIDI-I 10G BiDi

The XG-SFP-LR10-SM1310-BIDI-I is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over an SMF with

Accessories XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10

XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10-km DOM Duplex LC SMF Optical Transceiver Module Applicable to data center and campus networks, enabling cost-effective, efficient, and high

XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10

Buy XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10-km DOM Duplex LC SMF Optical Transceiver Module online today! As an industry-leading ICT

10G Optical Modules Overview | PDF

The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF) with

Ruijie XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310

As an industry-leading ICT infrastructure and industry solution provider, Ruijie offers customers a wide variety of high-density and low-power 10G optical modules.

Ruijie XG-SFP-LR-SM1310 10-Gigabit 10GBASE-LR

The Ruijie XG-SFP-LR-SM1310 10-Gigabit 10GBASE-LR Singlemode Fibre SFP+ Module is aligned to IEEE 10GBASE-LR optical specifications and supports a

H3C SFP-XG-LR-SM1310 10GBASE-LR SFP+ Transceiver Module

H3C SFP-XG-LX-SM1310 compatible SFP+ transceiver supports up to 10km link lengths over LC duplex SMF fiber. This transceiver is compliant with SFF-8431, SFF-8432 and IEEE 802.3ae standards.

XG-SFP-SR-MM850 10GBASE-SR SFP+ 850-nm 300-m DOM Duplex LC MMF Optical ...

XG-SFP-SR-MM850 10GBASE-SR SFP+ 850-nm 300-m DOM Duplex LC MMF Optical Transceiver Module Applicable to data center and campus networks, enabling cost-effective, efficient, and high

Buy Ruijie XG-SFP-LR-SM1310 10GBASE SFP

Ruijie, a market leader in ICT infrastructure and industry solutions, provides a broad range of low-power and high-density 10G optical modules to its clients. They can

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://sabineamsee.co.za>

Email: info@sabineamsee.co.za

Phone: +27 82 415 6793

Address: Unit 7, Innovation Park, 34 Electron Road, Kempton Park, 1620, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

